

Ţ\$<u>`</u>

Figure 1







Figure 2



Intelligent Storage Nodes

Figure 3





## DOSM File Look-up Table 610




Figure 7




Figure 9




Figure 10




Figure 11

1100

## Customer Table

Customer Id	Customer Name	Customer Reserved Fields	
1	Customer A	[Customer stores data]	1200
2	Customer B	[Customer stores data]	(
3	Customer C	[Customer stores data]	
4	Customer D	[Customer stores data]	

## Folder Table

Customer Id	Folder Id	Folder Parent Id	Metadata	
3	2	-	[Reserved]	1210
3	100	2	[Reserved]	
3	251	2	[Reserved]	
3	166	251	[Reserved]	

## File Table

					1
Customer Id	File Handle	Folder Id	Folder Parent Id	Metadata	1220
3	52.MD5	100	2	[Reserved]	<i>)</i>
3	55.MD5	100	2	[Reserved]	
3	99.MD5	166	251	[Reserved]	
3	67.MD5	166	251	[Reserved]	

Figure 12




Figure 13B

Ξ

ij Γij

ЦŲ

17




Figure 15





Figure 16






Figure 18




Figure 19

Figure 20

End





Figure 21b

Figure 22

Figure 23







Figure 25






Figure 27




Figure 28




Figure 30




Figure 31